



02-22-02 14:44:58

0300

213202.00352

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: )  
GEORGE A. TRAUBENBERG, ET AL. ) : Examiner: NYA  
Application No.: 10/014,898 ) : Group Art Unit: 1724  
Filed: December 14, 2001 ) :  
For: FLUID TREATMENT SYSTEM ) : April 22, 2002  
AND RADIATION SOURCE :  
MODULE FOR USE THEREIN )

**Box Missing Parts**  
Commissioner for Patents  
Washington, D.C. 20231

**ATTENTION: APPLICATION PROCESSING DIVISION, SPECIAL  
PROCESSING AND CORRESPONDENCE BRANCH**


RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Sir:

In response to the NOTICE TO FILE CORRECTED APPLICATION PAPERS - FILING DATE GRANTED mailed February 20, 2002, enclosed please find ten (10) sheets of formal drawings. Also enclosed is a copy of the NOTICE TO FILE CORRECTED APPLICATION PAPERS - FILING DATE GRANTED paper.

Applicants' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 625-3507. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

  
Attorney for Applicants

Registration No. 31,588

PATENT ADMINISTRATOR  
KATTEN MUCHIN ZAVIS ROSENMAN  
525 West Monroe Street  
Suite 1600  
Chicago, Illinois 60661-3693  
Facsimile: (312) 906-1021  
4127258v1



UNITED STATES PATENT AND TRADEMARK OFFICE

[www.uspto.gov](http://www.uspto.gov)

APPLICATION NUMBER

10/014,898

FILING/RECEIPT DATE

12/14/2001

FIRST NAMED APPLICANT

George A. Trautenberg

ATTORNEY DOCKET NUMBER

13202.00352

## FORMALITIES LETTER



\*OC000000007501445\*

27160

PATENT ADMINISTRATOR

# KATTEN MUCHIN ZAVIS

SUITE 1600

525 WEST MONROE STREET

CHICAGO, IL 60661

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

***A copy of this notice MUST be returned with the reply.***

Shirley Geramen  
Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE